

Portable Boiler Room 80 HP / 2,760 PPH

RH-80

Features:

- Boiler and Burner Package
- Control Systems and Panels
- Onboard Fuel Tank 500 Gallons
- Fuel Handling Equipment
- Feedwater Tank and Pump
- Water Softener with Chemical Tank and Pump
- Maintenance Accessibility

General	Information

Rental Category	Portable Boiler Room
Boiler Size	80 BHP
Max Output Capacity	2,760 PPH (1.2 T/H)
Max Pressure (MAWP)	150 PSIG (10.3 BARG)
Fuel(s)	Natural Gas / #2 Oil / Propane
Service	LPS / HPS / DHW / HHW
NOx Emission Rating	70 PPM

Connections

Steam Outlet	4" 150# FLG
HHW Supply	4" 150# FLG
HHW Return	4" 150# FLG
Stack Exhaust	20" Ø
City Water	2" NPT
Condensate Return	2" NPT
Natural Gas	2" NPT
#2 Oil Supply	1 ¾" NPT
#2 Oil Return	1 ¾" NPT
Blowdown Drain	3" 150# FLG
System Drain	1 ¼" NPT
Electrical	2" NPT

Atlas Copco

Rental

Output Specifications	
Operating Range	5-140 PSIG (0.3 – 9.6 BARG)
Turndown (NG / #2 Oil)	6:1/3:1
Oil Tank Capacity	500 GAL (1,890 L)
Steam Quality	99.5%
Efficiency	80% - 82%
HHW Design Flow	200 GPM@20°FΔT (757 LPM@11°CΔT)
DHW Design Flow	40 GPM@100°FΔT (151 LPM@55°CΔT)

Dimensions	
Overall Length	20' (6.1 M)
Overall Width	08' (2.4 M)
Overall Height	12' 10" (3.9 M)
Shipping Weight	27,500 LBS (11,840 KGS)
Operating Weight	34,600 LBS (15,700 KGS)

Input Specifications	
City Water	10 GPM@50 PSIG (38 LPM@3.5 BARG)
Electricity	240 V / 1 Ph / 60 Hz @ 30 A
Fuel Input (NG / #2 Oil)	3.36 MMBTU/hr (985 kW)
NG Flow	853 – 3,360 CFH (24 – 95 m³/hr)
NG Pressure	1 - 5 PSIG (0.25 – 1.2 kPa)
#2 Oil Flow	9.2 – 24 GPH (35 – 90 LPH)
#2 Oil Pressure	Use Onboard Oil Pump
Pilot	Propane Tank Included

Last updated on: 17-Dec-24

Atlas Copco

HPS: High Pressure Steam LPS: Low Pressure Steam HHW: Hydronic Hot Water DHW: Domestic Hot Water

Atlas Copco Rental www.atlascopcorental.com

Subject to change without prior notice. Information is for guidance only. Please contact your nearest Rental office for detailed application advice.